

Safety data sheet

Page: 1/19

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 11.03.2024

Version: 4.0

Date / Previous version: 01.04.2021

Previous version: 3.0

Product: **Acrobat MZ 90/600 WG**

(ID no. 30279395/SDS_CPA_UA/EN)

Date of print 01.05.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Acrobat MZ 90/600 WG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

1.3. Details of the supplier of the safety data sheet

Company:

«BASF T.O.V.» LLC

19, Mykoly Mikhnovskoho blvd.

Kyiv

UKRAINE

01042

Telephone: +38 044 591 55 95 (96)

E-mail address: basf.ukraine@basf.com

1.4. Emergency telephone number

Telephone: +49 180 22 73 11 20

0 800 30 72 72 (valid from Ukraine only !!)

Telefax number: +38 044 591 55 97

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

|Skin Sens. 1

H317 May cause an allergic skin reaction.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 11.03.2024

Version: 4.0

Date / Previous version: 01.04.2021

Previous version: 3.0

Product: **Acrobat MZ 90/600 WG**

(ID no. 30279395/SDS_CPA_UA/EN)

Date of print 01.05.2024

Carc. 2	H351 Suspected of causing cancer.
Repr. 1B	H360F May damage fertility.
Repr. 1B	H360D May damage the unborn child.
STOT RE 2	H373 May cause damage to organs (Nervous system, Thyroid gland) through prolonged or repeated exposure.
Aquatic Acute 1	H400 Very toxic to aquatic life.
Aquatic Chronic 1	H410 Very toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:



Signal Word:

Danger

Hazard Statement:

H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H360FD	May damage fertility. May damage the unborn child.
H373	May cause damage to organs (Nervous system, Thyroid gland) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P201	Obtain special instructions before use.
P260	Do not breathe dust/gas/mist/vapours.
P202	Do not handle until all safety precautions have been read and understood.
P272	Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

P308 + P313	IF exposed or concerned: Get medical attention.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P391	Collect spillage.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 11.03.2024

Version: 4.0

Date / Previous version: 01.04.2021

Previous version: 3.0

Product: **Acrobat MZ 90/600 WG**

(ID no. 30279395/SDS_CPA_UA/EN)

Date of print 01.05.2024

Precautionary Statements (Disposal):

P501

Dispose of contents and container to hazardous or special waste collection point.

Hazard determining component(s) for labelling: mancozeb (ISO); manganese; ethylenebis(dithiocarbamate); (polymeric) complex with zinc salt, dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

2.3. Other hazardsAccording to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Product contains substance(s) included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 (see section 3).

SECTION 3: Composition/Information on Ingredients**3.1. Substances**

Not applicable

3.2. MixturesChemical nature

crop protection product, fungicide, water dispersible granules

Regulatory relevant ingredients

| mancozeb (ISO); manganese; ethylenebis(dithiocarbamate); (polymeric) complex with zinc salt

Content (W/W): 60 %

Skin Sens. 1

CAS Number: 8018-01-7

Carc. 2

Repr. 1B (unborn child)

Substance of concern regarding endocrine disruptive properties

STOT RE (Thyroid gland, Nervous system) 2

Aquatic Acute 1

Aquatic Chronic 1

M-factor acute: 10

M-factor chronic: 10

H317, H351, H360D, H373, H400, H410

| dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Content (W/W): 9 %

Repr. 1B (fertility)

CAS Number: 110488-70-5

Aquatic Chronic 2

EC-Number: 404-200-2

H360F, H411

INDEX-Number: 613-102-00-0

| Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 11.03.2024

Version: 4.0

Date / Previous version: 01.04.2021

Previous version: 3.0

Product: **Acrobat MZ 90/600 WG**

(ID no. 30279395/SDS_CPA_UA/EN)

Date of print 01.05.2024

	Content (W/W): < 2 % CAS Number: 85586-07-8 EC-Number: 287-809-4	Flam. Sol. 1 Acute Tox. 4 (Inhalation - dust) Acute Tox. 4 (oral) Skin Corr./Irrit. 2 Eye Dam./Irrit. 1 STOT SE 3 (irr. to respiratory syst.) Aquatic Chronic 3 H228, H318, H315, H335, H302 + H332, H412 <u>Specific concentration limit:</u> Eye Dam./Irrit. 2: 10 - < 20 % Eye Dam./Irrit. 1: >= 20 %
bronopol (INN)	Content (W/W): < 0,05 % CAS Number: 52-51-7 EC-Number: 200-143-0 INDEX-Number: 603-085-00-8	Acute Tox. 3 (Inhalation - dust) Acute Tox. 3 (oral) Acute Tox. 4 (dermal) Skin Irrit. 2 Eye Dam. 1 STOT SE 3 (irr. to respiratory syst.) Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 10 M-factor chronic: 10 H318, H315, H312, H335, H301 + H331, H400, H410 <u>Differing classification according to current knowledge and the criteria given in Annex I of Regulation (EC) No. 1272/2008</u> Aquatic Chronic 1 Aquatic Acute 1 M-factor acute: 100 M-factor chronic: 10
Lignosulfonic acid, sodium salt	Content (W/W): < 20 % CAS Number: 8061-51-6	
Ammonium sulphate	Content (W/W): < 3 % CAS Number: 7783-20-2 EC-Number: 231-984-1	

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

dry powder, foam, water spray

Unsuitable extinguishing media for safety reasons:

carbon dioxide, water jet

5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, Carbon dioxide, hydrogen chloride, Hydrogen bromide, nitrogen oxides, halogenated compounds, sulfur oxides, silica compounds

Advice: The substances/groups of substances mentioned can be released in case of fire.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 11.03.2024

Version: 4.0

Date / Previous version: 01.04.2021

Previous version: 3.0

Product: **Acrobat MZ 90/600 WG**

(ID no. 30279395/SDS_CPA_UA/EN)

Date of print 01.05.2024

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin, eyes and clothing. Use personal protective clothing. Avoid dust formation.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 11.03.2024

Version: 4.0

Date / Previous version: 01.04.2021

Previous version: 3.0

Product: **Acrobat MZ 90/600 WG**

(ID no. 30279395/SDS_CPA_UA/EN)

Date of print 01.05.2024

Further information on storage conditions: Protect against moisture. Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 36 Months

Keep container tightly closed and dry.

Protect from temperatures below: -10 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 30 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

110488-70-5: dimethomorph (ISO)

TWA value 0,67 mg/m³ (BASF recomm. occupational exposure limit)

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Particle filter with high efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P3 or FFP3).

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 11.03.2024

Version: 4.0

Date / Previous version: 01.04.2021

Previous version: 3.0

Product: **Acrobat MZ 90/600 WG**

(ID no. 30279395/SDS_CPA_UA/EN)

Date of print 01.05.2024

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	solid	
Form:	solid	
Colour:	beige	
Odour:	faint odour, smoky	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
Melting point:	approx. 189 °C The data given are those of the active ingredient.	
Boiling point:	The product is a non-volatile solid.	
Flammability:	not highly flammable	(Directive 84/449/EEC, A.10)
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Flash point:	not applicable, the product is a solid	
Self-ignition temperature:		Test type: Self-ignition at high temperatures. (Method: Directive 92/69/EEC, A.16)
Thermal decomposition:	not self-igniting 100 °C, 30 kJ/kg (DSC (OECD 113)) (onset temperature) 190 °C, 150 kJ/kg (DSC (OECD 113)) (onset temperature) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
pH value:	approx. 6 - 8 (water, 1 %(m), 20 °C) (as a dispersion)	
Viscosity, dynamic:	not applicable, the product is a solid	
Solubility in water:	dispersible	

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 11.03.2024

Version: 4.0

Date / Previous version: 01.04.2021

Previous version: 3.0

Product: **Acrobat MZ 90/600 WG**

(ID no. 30279395/SDS_CPA_UA/EN)

Date of print 01.05.2024

Partitioning coefficient n-octanol/water (log Kow):

The statements are based on the
properties of the individual
components.

Information on: *dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine*

Partitioning coefficient n-octanol/water (log Kow): 2,63 - 2,73
(20 °C)

Information on: *mancozeb (ISO); manganese; ethylenebis(dithiocarbamate); (polymeric) complex with zinc salt*

Partitioning coefficient n-octanol/water (log Kow): 0,26
(20 °C)

Vapour pressure:

not applicable

Density:

approx. 1,85 g/cm³
(20 °C)

(OECD Guideline 109)

Relative vapour density (air):

not applicable

9.2. Other information**Information with regard to physical hazard classes**Explosives

Explosion hazard:

Based on the chemical structure
there is no indication of explosive
properties.

(Directive 92/69/EEC, A.14)

Oxidizing properties

Fire promoting properties:

Based on its structural properties
the product is not classified as
oxidizing.

(Directive 92/69/EEC, A.17)

Self-heating substances and mixtures

Self heating ability:

It is not a substance capable of
spontaneous heating according to
UN transport regulations class 4.2.

Other safety characteristics

Bulk density:

630 - 660 kg/m³
(20 °C)

Evaporation rate:

not applicable

SECTION 10: Stability and Reactivity**10.1. Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Of low toxicity after single ingestion. Of low toxicity after short-term inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): > 2.770 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): > 6,4 mg/l 4 h

Mortality was observed. Tested as dust aerosol.

LD50 rat (dermal): > 2.000 mg/kg (OECD Guideline 402)

No mortality was observed.

Irritation

Assessment of irritating effects:

Not irritating to eyes and skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation

rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

| modified Buehler test guinea pig: skin sensitizing

Germ cell mutagenicity

Assessment of mutagenicity:

| The product has not been tested. The statement has been derived from the properties of the individual components.

*| Information on: bronopol (INN)**Assessment of mutagenicity:*

| *The substance was not mutagenic in bacteria. The substance was mutagenic in various cell culture test systems; however, these results could not be confirmed in tests with mammals.*

Carcinogenicity

Assessment of carcinogenicity:

| The product has not been tested. The statement has been derived from the properties of the individual components.

| *Information on: mancozeb (ISO); manganese; ethylenebis(dithiocarbamate); (polymeric) complex with zinc salt*

Assessment of carcinogenicity:

| *Indication of possible carcinogenic effect in animal tests.*

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

| *Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine*

Assessment of reproduction toxicity:

| *EU-classification Causes impairment of fertility in laboratory animals.*

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

| *Information on: mancozeb (ISO); manganese; ethylenebis(dithiocarbamate); (polymeric) complex with zinc salt*

Assessment of teratogenicity:

| *The substance caused malformations/developmental toxicity in laboratory animals.*

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 11.03.2024

Version: 4.0

Date / Previous version: 01.04.2021

Previous version: 3.0

Product: **Acrobat MZ 90/600 WG**

(ID no. 30279395/SDS_CPA_UA/EN)

Date of print 01.05.2024

| *Information on: Sulfuric acid, mono-C12-14-alkyl esters, sodium salts*

| *Assessment of teratogenicity:*

| *The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses that were toxic to the parental animals.*

| -----

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

| The product has not been tested. The statement has been derived from the properties of the individual components.

| *Information on: bronopol (INN)*

| *Assessment of repeated dose toxicity:*

| *After repeated exposure the prominent effect is local irritation.*

| *Information on: Sulfuric acid, mono-C12-14-alkyl esters, sodium salts*

| *Assessment of repeated dose toxicity:*

| *Adaptive effects were observed after repeated exposure in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Repeated oral exposure to large quantities may affect certain organs.*

| *Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine*

| *Assessment of repeated dose toxicity:*

| *The substance may cause damage to the prostate after repeated ingestion. Based on available data, the classification criteria are not met.*

| *Information on: mancozeb (ISO); manganese; ethylenebis(dithiocarbamate); (polymeric) complex with zinc salt*

| *Assessment of repeated dose toxicity:*

| *Repeated exposure may affect certain organs.*

| -----

Aspiration hazard

| not applicable

Interactive effects

No data available.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 11.03.2024

Version: 4.0

Date / Previous version: 01.04.2021

Previous version: 3.0

Product: **Acrobat MZ 90/600 WG**

(ID no. 30279395/SDS_CPA_UA/EN)

Date of print 01.05.2024

11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish:

LC50 (96 h) 1,48 mg/l, *Oncorhynchus mykiss*

Aquatic invertebrates:

EC50 (48 h) 0,83 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) 0,136 mg/l, *Selenastrum capricornutum*

No observed effect concentration (72 h) 0,0173 mg/l, *Pseudokirchneriella subcapitata*

Chronic toxicity to fish:

No observed effect concentration (28 d) 0,528 mg/l, *Oncorhynchus mykiss*

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) 0,0637 mg/l, *Daphnia magna*

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment biodegradation and elimination (H₂O):

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 11.03.2024

Version: 4.0

Date / Previous version: 01.04.2021

Previous version: 3.0

Product: **Acrobat MZ 90/600 WG**

(ID no. 30279395/SDS_CPA_UA/EN)

Date of print 01.05.2024

Not readily biodegradable (by OECD criteria).

Information on: mancozeb (ISO); manganese; ethylenebis(dithiocarbamate); (polymeric) complex with zinc salt

Assessment biodegradation and elimination (H₂O):

According to OECD criteria the product is not readily biodegradable but inherently biodegradable.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: mancozeb (ISO); manganese; ethylenebis(dithiocarbamate); (polymeric) complex with zinc salt

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Endocrine disrupting properties

The product contains a substance that is identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 or is included in the Candidate List of substances of very high concern according to EU REACH Article 59 for having endocrine disrupting properties.

12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(MANCOZEB, DIMETHOMORPH)

Transport hazard class(es): 9, EHSM

Packing group: III

Environmental hazards: yes

Special precautions for user: None known

RID

UN number or ID number: UN3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 11.03.2024

Version: 4.0

Date / Previous version: 01.04.2021

Previous version: 3.0

Product: **Acrobat MZ 90/600 WG**

(ID no. 30279395/SDS_CPA_UA/EN)

Date of print 01.05.2024

(MANCOZEB, DIMETHOMORPH)

Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Inland waterway transport

ADN

UN number or ID number: UN3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(MANCOZEB, DIMETHOMORPH)

Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number: UN 3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(MANCOZEB, DIMETHOMORPH)

Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Marine pollutant: YES
Special precautions for user: EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number: UN 3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(MANCOZEB, DIMETHOMORPH)

Transport hazard class(es): 9, EHSM

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 11.03.2024

Version: 4.0

Date / Previous version: 01.04.2021

Previous version: 3.0

Product: **Acrobat MZ 90/600 WG**

(ID no. 30279395/SDS_CPA_UA/EN)

Date of print 01.05.2024

Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2:10.2.7; IATA: A197; TDS: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

SECTION 15: Regulatory Information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

To avoid risks to man and the environment, comply with the instructions for use.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 11.03.2024

Version: 4.0

Date / Previous version: 01.04.2021

Previous version: 3.0

Product: **Acrobat MZ 90/600 WG**

(ID no. 30279395/SDS_CPA_UA/EN)

Date of print 01.05.2024

SECTION 16: Other Information

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Skin Sens.	Skin sensitization
Carc.	Carcinogenicity
Repr.	Reproductive toxicity
STOT RE	Specific target organ toxicity — repeated exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Flam. Sol.	Flammable solids
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
STOT SE	Specific target organ toxicity — single exposure
Skin Irrit.	Skin irritation
Eye Dam.	Serious eye damage
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H360FD	May damage fertility. May damage the unborn child.
H373	May cause damage to organs (Nervous system, Thyroid gland) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
H360D	May damage the unborn child.
H360F	May damage fertility.
H411	Toxic to aquatic life with long lasting effects.
H228	Flammable solid.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H302 + H332	Harmful if swallowed or if inhaled.
H412	Harmful to aquatic life with long lasting effects.
H312	Harmful in contact with skin.
H301 + H331	Toxic if swallowed or if inhaled.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent,

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 11.03.2024

Version: 4.0

Date / Previous version: 01.04.2021

Previous version: 3.0

Product: **Acrobat MZ 90/600 WG**

(ID no. 30279395/SDS_CPA_UA/EN)

Date of print 01.05.2024

Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.